

Welcome to QEMU's documentation!

Contents:

- [About QEMU](#)
 - [Supported build platforms](#)
 - [Emulation](#)
 - [Deprecated features](#)
 - [Removed features](#)
 - [License](#)
- [System Emulation](#)
 - [Introduction](#)
 - [Invocation](#)
 - [Device Emulation](#)
 - [Keys in the graphical frontends](#)
 - [Keys in the character backend multiplexer](#)
 - [QEMU Monitor](#)
 - [Disk Images](#)
 - [QEMU virtio-net standby \(net_failover\)](#)
 - [Direct Linux Boot](#)
 - [Generic Loader](#)
 - [Guest Loader](#)
 - [QEMU Barrier Client](#)
 - [VNC security](#)
 - [TLS setup for network services](#)
 - [Providing secret data to QEMU](#)
 - [Client authorization](#)
 - [GDB usage](#)
 - [Record/replay](#)
 - [Managed start up options](#)
 - [Managing device boot order with bootindex properties](#)
 - [Virtual CPU hotplug](#)
 - [Persistent reservation managers](#)
 - [QEMU System Emulator Targets](#)
 - [Security](#)
 - [Multi-process QEMU](#)

- Confidential Guest Support
- Independent Guest Virtual Machine (IGVM) support
- AWS Nitro Enclaves
- Windows Hypervisor Platform
- QEMU VM templating
- Composable SR-IOV device
- Qemu COLO Fault Tolerance
- User Mode Emulation
 - QEMU User space emulator
- Tools
 - QEMU disk image utility
 - QEMU Storage Daemon
 - QEMU Disk Network Block Device Server
 - QEMU persistent reservation helper
 - QEMU SystemTap trace tool
 - QEMU virtual RAPL MSR helper
 - QEMU standalone VNC server
- System Emulation Management and Interoperability
 - Barrier client protocol
 - Dirty Bitmaps and Incremental Backup
 - D-Bus
 - D-Bus VMState
 - D-Bus display
 - D-Bus VNC
 - Live Block Device Operations
 - QEMU NBD protocol support
 - Parallels Expandable Image File Format
 - Parallels Disk Format
 - Qcow2 Image File Format
 - QED Image File Format Specification
 - Persistent reservation helper protocol
 - QEMU Machine Protocol Specification
 - QEMU Guest Agent
 - QEMU Guest Agent Protocol Reference
 - QEMU QMP Reference Manual
 - QEMU Storage Daemon QMP Reference Manual
 - vfio-user Protocol Specification
 - Vhost-user Protocol
 - Vhost-user-gpu Protocol

- Vhost-vdpa Protocol
- Virtio balloon memory statistics
- VNC LED state Pseudo-encoding
- System Emulation Guest Hardware Specifications
 - PCI IDs for QEMU
 - QEMU PCI serial devices
 - QEMU PCI test device
 - POWER9 XIVE interrupt controller
 - XIVE for sPAPR (pseries machines)
 - NUMA mechanics for sPAPR (pseries machines)
 - How the pseries Linux guest calculates NUMA distances
 - pseries NUMA mechanics
 - Legacy (5.1 and older) pseries NUMA mechanics
 - QEMU and ACPI BIOS Generic Event Device interface
 - QEMU TPM Device
 - APEI tables generating and CPER record
 - QEMU<->ACPI BIOS CPU hotplug interface
 - QEMU<->ACPI BIOS memory hotplug interface
 - QEMU<->ACPI BIOS PCI hotplug interface
 - QEMU<->ACPI BIOS NVDIMM interface
 - ACPI ERST DEVICE
 - QEMU/Guest Firmware Interface for AMD SEV and SEV-ES
 - QEMU Firmware Configuration (fw_cfg) Device
 - IBM's Flexible Service Interface (FSI)
 - VMWare PVSCSI Device Interface
 - EDU device
 - Device Specification for Inter-VM shared memory device
 - PVPANIC DEVICE
 - QEMU Security Protocols and Data Models (SPDM) Support
 - QEMU Standard VGA
 - Virtual System Controller
 - VMCoreInfo device
 - Virtual Machine Generation ID Device
 - RAPL MSR support
 - Rocker Network Switch Register Programming Guide
 - RISC-V IOMMU support for RISC-V machines
 - RISC-V AIA support for RISC-V machines
 - ASPEED Interrupt Controller
 - iommu-testdev — IOMMU test device for bare-metal testing
- Developer Information

- [QEMU Community Processes](#)
- [QEMU Build System](#)
- [Testing QEMU](#)
- [Internal QEMU APIs](#)
- [Internal Subsystem Information](#)
- [TCG Emulation](#)
- [Codebase](#)
- [Glossary](#)
 - [Accelerator](#)
 - [Board](#)
 - [Block](#)
 - [CFI](#)
 - [Device](#)
 - [EDK2](#)
 - [gdbstub](#)
 - [glib2](#)
 - [Guest agent](#)
 - [Guest](#)
 - [Host](#)
 - [Hypervisor](#)
 - [Machine](#)
 - [Migration](#)
 - [NBD](#)
 - [Mailing List](#)
 - [MMU / softmmu](#)
 - [Monitor / QMP / HMP](#)
 - [MTTCG](#)
 - [Plugins](#)
 - [Patchew](#)
 - [PR](#)
 - [QCOW2](#)
 - [QEMU](#)
 - [QOM](#)
 - [Record/replay](#)
 - [Rust](#)
 - [System mode](#)
 - [Target](#)
 - [TCG](#)
 - [User mode](#)
 - [VirtIO](#)
 - [vhost-user](#)

